WASP CRAFT
HAND TOOLS INNOVATOR & MANUFACTURER



# 25 HEX KEY WRENCH

## NEW INNOVATIVE PATENT - WORN OUR HEX BOLT & EXTRACTOR HEX KEY WRENCH







Worn Out Hex Bolt

## EXTRACTOR WRENCH

### Features

The Extractor Hex Key Wrench were designed and manufactured by New Way Tools in 2015. The special design could loose worn out hex bolt to shorten the working time. The durability is much higher than others extractor hex key wrench. A simple but brilliant mechanism making this tool more efficient and ergonomically in operation.

### Extractor Ball Point Hex Key Wrench (SAE)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • *Long Type* | | | | |
| EX312116 | 1/16 | 16 | 80 | 1.6 |
| EX312564 | 5/64 | 17 | 84 | 2.6 |
| EX312332 | 3/32 | 19 | 90 | 4.0 |
| EX312764 | 7/64 | 21 | 95 | 5.8 |
| EX312108 | 1/8 | 22 | 99 | 8.0 |
| EX312964 | 9/64 | 24 | 105 | 10.7 |
| EX312532 | 5/32 | 25 | 109 | 13.7 |
| EX312316 | 3/16 | 29 | 119 | 21.7 |
| EX312732 | 7/32 | 32 | 130 | 32.0 |
| EX312104 | 1/4 | 34 | 141 | 45.0 |
| EX312516 | 5/16 | 40 | 160 | 80.5 |
| EX312308 | 3/8 | 45 | 180 | 130.0 |
| • *Extra Long Type* | | | | |
| EX313116 | 1/16 | 16 | 92 | 1.8 |
| EX313564 | 5/64 | 17 | 102 | 3.0 |
| EX313332 | 3/32 | 19 | 114 | 5.0 |
| EX313108 | 1/8 | 22 | 127 | 10.0 |
| EX313532 | 5/32 | 25 | 140 | 17.0 |
| EX313316 | 3/16 | 29 | 155 | 27.0 |
| EX313732 | 7/32 | 32 | 171 | 40.8 |
| EX313104 | 1/4 | 34 | 188 | 58.0 |
| EX313516 | 5/16 | 40 | 208 | 101.0 |
| EX313308 | 3/8 | 45 | 229 | 160.0 |

### Extractor Ball Point Hex Key Wrench (METRIC)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • *Long Type* | | | | |
| EX312015 | 1.5 | 15 | 63 | 1.2 |
| EX312020 | 2 | 18 | 77 | 2.5 |
| EX312025 | 2.5 | 20 | 87 | 4.4 |
| EX312030 | 3 | 23 | 93 | 6.8 |
| EX312040 | 4 | 29 | 104 | 13.8 |
| EX312050 | 5 | 33 | 120 | 24.7 |
| EX312055 | 5.5 | 35 | 133 | 33.0 |
| EX312060 | 6 | 38 | 141 | 41.5 |
| EX312080 | 8 | 44 | 158 | 82.5 |
| EX312100 | 10 | 50 | 180 | 146.0 |
| • *Extra Long Type* | | | | |
| EX313015 | 1.5 | 15 | 91 | 1.6 |
| EX313020 | 2 | 18 | 102 | 3.1 |
| EX313025 | 2.5 | 20 | 114 | 5.5 |
| EX313030 | 3 | 23 | 129 | 9.0 |
| EX313040 | 4 | 29 | 144 | 18.0 |
| EX313050 | 5 | 33 | 165 | 32.0 |
| EX313060 | 6 | 38 | 186 | 52.6 |
| EX313080 | 8 | 44 | 208 | 104.0 |
| EX313100 | 10 | 50 | 234 | 182.9 |

### 9PCS Extractor Key Wrench Set

| CONTENTS | |
|---|---|
| 9 | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 |

| ITEM NUMBER | TYPE | PACKING |
|---|---|---|
| EX311009-11 | Short | 12/48 ; 14/15 ; 1.20' |
| EX312009-11 | Long | 12/48 ; 19/20 ; 1.34' |
| EX313009-11 | Extra Long | 12/48 ; 22/23 ; 1.38' |

# NEW INNOVATIVE PATENT - ANTI-SLIP BALL POINT HEX KEY WRENCH




## Features

The Anti-Slip Ball Point Hex Key Wrench were designed and manufactured by New Way Tools in 2015.
The special Anti-Slip Ball Point design could increase the friction to make it more efficient to every hex bolt.
A simple disign improves the traditional hand tool more efficiently and ergonomically.

## Anti-Slip Ball Point Hex Key Wrench (SAE)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • Long Type | | | | |
| AS312116 | 1/16 | 16 | 80 | 1.6 |
| AS312564 | 5/64 | 17 | 84 | 2.6 |
| AS312332 | 3/32 | 19 | 90 | 4.0 |
| AS312764 | 7/64 | 21 | 95 | 5.8 |
| AS312108 | 1/8 | 22 | 99 | 8.0 |
| AS312964 | 9/64 | 24 | 105 | 10.7 |
| AS312532 | 5/32 | 25 | 109 | 13.7 |
| AS312316 | 3/16 | 29 | 119 | 21.7 |
| AS312732 | 7/32 | 32 | 130 | 32.0 |
| AS312104 | 1/4 | 34 | 141 | 45.0 |
| AS312516 | 5/16 | 40 | 160 | 80.5 |
| AS312308 | 3/8 | 45 | 180 | 130.0 |
| • Extra Long Type | | | | |
| AS313116 | 1/16 | 16 | 92 | 1.8 |
| AS313564 | 5/64 | 17 | 102 | 3.0 |
| AS313332 | 3/32 | 19 | 114 | 5.0 |
| AS313108 | 1/8 | 22 | 127 | 10.0 |
| AS313532 | 5/32 | 25 | 140 | 17.0 |
| AS313316 | 3/16 | 29 | 155 | 27.0 |
| AS313732 | 7/32 | 32 | 171 | 40.8 |
| AS313104 | 1/4 | 34 | 188 | 58.0 |
| AS313516 | 5/16 | 40 | 208 | 101.0 |
| AS313308 | 3/8 | 45 | 229 | 160.0 |

## Anti-Slip Ball Point Hex Key Wrench (METRIC)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • Long Type | | | | |
| AS312015 | 1.5 | 15 | 63 | 1.2 |
| AS312020 | 2 | 18 | 77 | 2.5 |
| AS312025 | 2.5 | 20 | 87 | 4.4 |
| AS312030 | 3 | 23 | 93 | 6.8 |
| AS312040 | 4 | 29 | 104 | 13.8 |
| AS312050 | 5 | 33 | 120 | 24.7 |
| AS312055 | 5.5 | 35 | 133 | 33.0 |
| AS312060 | 6 | 38 | 141 | 41.5 |
| AS312080 | 8 | 44 | 158 | 82.5 |
| AS312100 | 10 | 50 | 180 | 146.0 |
| • Extra Long Type | | | | |
| AS313015 | 1.5 | 15 | 91 | 1.6 |
| AS313020 | 2 | 18 | 102 | 3.1 |
| AS313025 | 2.5 | 20 | 114 | 5.5 |
| AS313030 | 3 | 23 | 129 | 9.0 |
| AS313040 | 4 | 29 | 144 | 18.0 |
| AS313050 | 5 | 33 | 165 | 32.0 |
| AS313060 | 6 | 38 | 186 | 52.6 |
| AS313080 | 8 | 44 | 208 | 104.0 |
| AS313100 | 10 | 50 | 234 | 182.9 |

## 9PCS Anti-Slip Key Wrench Set

| CONTENTS | | |
|---|---|---|
| 9 | 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 | |
| ITEM NUMBER | TYPE | PACKING |
| AS311009-11 | Short | 12/48 ; 14/15 ; 1.20' |
| AS312009-11 | Long | 12/48 ; 19/20 ; 1.34' |
| AS313009-11 | Extra Long | 12/48 ; 22/23 ; 1.38' |

## Tamper Proof Star Key Wrench

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • Short Type | | | | |
| 331006 | T6 | 18 | 45 | 3.2 |
| 331007 | T7 | 18 | 51 | 3.5 |
| 331008 | T8 | 18 | 51 | 3.5 |
| 331009 | T9 | 18 | 51 | 3.5 |
| 331010 | T10 | 19 | 54 | 3.8 |
| 331015 | T15 | 21 | 57 | 5.5 |
| 331020 | T20 | 23 | 61 | 7.7 |
| 331025 | T25 | 24 | 65 | 10.0 |
| 331027 | T27 | 26 | 68 | 13.0 |
| 331030 | T30 | 29 | 76 | 21 |
| 331040 | T40 | 33 | 83 | 31.8 |
| 331045 | T45 | 36 | 90 | 45.0 |
| 331050 | T50 | 40 | 104 | 65.0 |
| 331055 | T55 | 46 | 120 | 121.0 |
| 331060 | T60 | 51 | 134 | 185.0 |
| • Long Type | | | | |
| 332010 | T10 | 19 | 89 | 5.7 |
| 332015 | T15 | 21 | 94 | 8.3 |
| 332020 | T20 | 23 | 99 | 11.4 |
| 332025 | T25 | 24 | 105 | 15.0 |
| 332027 | T27 | 26 | 110 | 20.0 |
| 332030 | T30 | 29 | 120 | 31.0 |
| 332040 | T40 | 33 | 131 | 46.0 |
| 332045 | T45 | 36 | 141 | 65.0 |
| 332050 | T50 | 40 | 161 | 94.0 |
| 332055 | T55 | 46 | 183 | 172.5 |
| 332060 | T60 | 51 | 205 | 264.0 |

## 9PCS

Color Painting Key Wrench Set



| CONTENTS | | |
|---|---|---|
| 9 | 9PCS Ball Point Hex Key Set / 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 | |
| ITEM NUMBER | TYPE | PACKING |
| 311109 | Short | 12/48 ; 14/15 ; 1.20' |
| 312109 | Long | 12/48 ; 19/20 ; 1.34' |
| 313109 | Extra Long | 12/48 ; 22/23 ; 1.38' |

## Hex Key Wrench (SAE)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • Short Type | | | | |
| 341116 | 1/16 | 16 | 46 | 1.0 |
| 341516 | 5/16 | 17 | 50 | 1.7 |
| 341332 | 3/32 | 19 | 54 | 2.7 |
| 341764 | 7/64 | 21 | 57 | 3.9 |
| 341108 | 1/8 | 22 | 61 | 5.4 |
| 341964 | 9/64 | 24 | 64 | 7.2 |
| 341532 | 5/32 | 25 | 68 | 9.0 |
| 341316 | 3/16 | 29 | 75 | 10.0 |
| 341732 | 7/32 | 32 | 82 | 22.0 |
| 341104 | 1/4 | 34 | 90 | 31.0 |
| 341516 | 5/16 | 40 | 103 | 56.0 |
| 341308 | 3/8 | 45 | 118 | 92.0 |
| 341716 | 7/16 | 49 | 133 | 139.0 |
| 341102 | 1/2 | 54 | 147 | 200.0 |
| 341916 | 9/16 | 58 | 160 | 272.0 |
| 341508 | 5/8 | 64 | 176 | 370.0 |
| 341304 | 3/4 | 73 | 203 | 610.0 |
| • Long Type | | | | |
| 342116 | 1/16 | 16 | 80 | 1.6 |
| 342564 | 5/64 | 17 | 84 | 2.6 |
| 342332 | 3/32 | 19 | 90 | 4.0 |
| 342764 | 7/64 | 21 | 95 | 5.8 |
| 342108 | 1/8 | 22 | 99 | 8.0 |
| 342964 | 9/64 | 24 | 105 | 10.7 |
| 342532 | 5/32 | 25 | 109 | 13.7 |
| 342316 | 3/16 | 29 | 119 | 21.7 |
| 342732 | 7/32 | 32 | 130 | 32.0 |
| 342104 | 1/4 | 34 | 141 | 45.0 |
| 342516 | 5/16 | 40 | 160 | 80.5 |
| 342308 | 3/8 | 45 | 180 | 130.0 |
| • Extra Long Type | | | | |
| 343116 | 1/16 | 16 | 92 | 1.8 |
| 343564 | 5/64 | 17 | 102 | 3.0 |
| 343332 | 3/32 | 19 | 114 | 5.0 |
| 343108 | 1/8 | 22 | 127 | 10.0 |
| 343532 | 5/32 | 25 | 140 | 17.0 |
| 343316 | 3/16 | 29 | 155 | 27.0 |
| 343732 | 7/32 | 32 | 171 | 40.8 |
| 343104 | 1/4 | 34 | 188 | 58.0 |
| 343516 | 5/16 | 40 | 208 | 101.0 |
| 343308 | 3/8 | 45 | 229 | 160.0 |
| 343716 | 7/16 | 49 | 253 | 240.0 |
| 343102 | 1/2 | 54 | 279 | 344.0 |
| 343916 | 9/16 | 58 | 309 | 180.0 |
| 343508 | 5/8 | 64 | 341 | 653.0 |
| 343304 | 3/4 | 73 | 379 | 1045.0 |



## Ball Point Hex Key Wrench (SAE)

| Item No. | Size | L1 (mm) | L2 (mm) | g |
|---|---|---|---|---|
| • Long Type | | | | |
| 312116 | 1/16 | 16 | 80 | 1.6 |
| 312564 | 5/64 | 17 | 84 | 2.6 |
| 312332 | 3/32 | 19 | 90 | 4.0 |
| 312764 | 7/64 | 21 | 95 | 5.8 |
| 312108 | 1/8 | 22 | 99 | 8.0 |
| 312964 | 9/64 | 24 | 105 | 10.7 |
| 312532 | 5/32 | 25 | 109 | 13.7 |
| 312316 | 3/16 | 29 | 119 | 21.7 |
| 312732 | 7/32 | 32 | 130 | 32.0 |
| 312104 | 1/4 | 34 | 141 | 45.0 |
| 312516 | 5/16 | 40 | 160 | 80.5 |
| 312308 | 3/8 | 45 | 180 | 130.0 |
| • Extra Long Type | | | | |
| 313116 | 1/16 | 16 | 92 | 1.8 |
| 313564 | 5/64 | 17 | 102 | 3.0 |
| 313332 | 3/32 | 19 | 114 | 5.0 |
| 313108 | 1/8 | 22 | 127 | 10.0 |
| 313532 | 5/32 | 25 | 140 | 17.0 |
| 313316 | 3/16 | 29 | 155 | 27.0 |
| 313732 | 7/32 | 32 | 171 | 40.8 |
| 313104 | 1/4 | 34 | 188 | 58.0 |
| 313516 | 5/16 | 40 | 208 | 101.0 |
| 313308 | 3/8 | 45 | 229 | 160.0 |

## 9PCS

Color Sand-BlastingKey Wrench Set

| CONTENTS | | |
|---|---|---|
| 9 | 9PCS Star Key Set / T10, T15, T20, T25, T27, T30, T40, T45, T50 | |
| ITEM NUMBER | TYPE | PACKING |
| 321209 | Short | 12/48 ; 14/15 ; 1.20' |
| 322209 | Long | 12/48 ; 19/20 ; 1.34' |
| 323209 | Extra Long | 12/48 ; 22/23 ; 1.38' |

| CONTENTS | | |
|---|---|---|
| 9 | 9PCS Hex Key Set / 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 | |
| ITEM NUMBER | TYPE | PACKING |
| 341209 | Short | 12/48 ; 14/15 ; 1.20' |
| 342209 | Long | 12/48 ; 19/20 ; 1.34' |
| 343209 | Extra Long | 12/48 ; 22/23 ; 1.38' |

| CONTENTS | | |
|---|---|---|
| 9 | 9PCS Ball Point Hex Key Set / 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 | |
| ITEM NUMBER | TYPE | PACKING |
| 311209 | Short | 12/48 ; 14/15 ; 1.20' |
| 312209 | Long | 12/48 ; 19/20 ; 1.34' |
| 313209 | Extra Long | 12/48 ; 22/23 ; 1.38' |

# Hex Key Wrench



## Hex Key Wrench (Metric)

| Item No. | Size | L1 (mm) | L2 (mm) | |
|---|---|---|---|---|
| • *Short Type* | | | | |
| 341015 | 1.5 | 15 | 48 | 0.9 |
| 341020 | 2 | 18 | 52 | 1.8 |
| 341025 | 2.5 | 20 | 58 | 3.0 |
| 341030 | 3 | 23 | 66 | 5.0 |
| 341040 | 4 | 29 | 74 | 10.0 |
| 341045 | 4.5 | 30 | 80 | 14.0 |
| 341050 | 5 | 33 | 85 | 18.0 |
| 341055 | 5.5 | 35 | 90 | 24.0 |
| 341060 | 6 | 38 | 96 | 30.0 |
| 341070 | 7 | 41 | 102 | 43.0 |
| 341080 | 8 | 44 | 108 | 60.0 |
| 341090 | 9 | 47 | 114 | 81.0 |
| 341100 | 10 | 50 | 122 | 105.0 |
| 34120 | 12 | 57 | 137 | 170.0 |
| 341140 | 14 | 70 | 154 | 265.0 |
| 341170 | 17 | 80 | 177 | 442.0 |
| 341190 | 19 | 89 | 199 | 631.0 |
| • *Long Type* | | | | |
| 342015 | 1.5 | 15 | 63 | 1.2 |
| 342020 | 2 | 18 | 77 | 2.5 |
| 342025 | 2.5 | 20 | 87 | 4.4 |
| 342030 | 3 | 23 | 93 | 6.8 |
| 342040 | 4 | 29 | 104 | 13.8 |
| 342050 | 5 | 33 | 120 | 24.7 |
| 342055 | 5.5 | 35 | 133 | 33.0 |
| 342060 | 6 | 38 | 141 | 41.5 |
| 342080 | 8 | 44 | 158 | 82.5 |
| 342010 | 10 | 50 | 180 | 146.0 |
| • *Extra Long Type* | | | | |
| 343015 | 1.5 | 15 | 91 | 1.6 |
| 343020 | 2 | 18 | 102 | 3.1 |
| 343025 | 2.5 | 20 | 114 | 5.5 |
| 343030 | 3 | 23 | 129 | 9.0 |
| 343040 | 4 | 29 | 144 | 18.0 |
| 343050 | 5 | 33 | 165 | 32.0 |
| 343060 | 6 | 38 | 186 | 52.6 |
| 343080 | 8 | 44 | 208 | 104.0 |
| 343100 | 10 | 50 | 234 | 182.9 |
| 343120 | 12 | 57 | 262 | 294.7 |
| 343140 | 14 | 70 | 294 | 457.0 |
| 343170 | 17 | 80 | 337 | 769.0 |
| 343190 | 19 | 89 | 379 | 1078.0 |

## Ball Point Hex Key Wrench (METRIC)

| Item No. | Size | L1 (mm) | L2 (mm) | |
|---|---|---|---|---|
| • *Long Type* | | | | |
| 312015 | 1.5 | 15 | 63 | 1.2 |
| 312020 | 2 | 18 | 77 | 2.5 |
| 312025 | 2.5 | 20 | 87 | 4.4 |
| 312030 | 3 | 23 | 93 | 6.8 |
| 312040 | 4 | 29 | 104 | 13.8 |
| 312050 | 5 | 33 | 120 | 24.7 |
| 312055 | 5.5 | 35 | 133 | 33.0 |
| 312060 | 6 | 38 | 141 | 41.5 |
| 312080 | 8 | 44 | 158 | 82.5 |
| 312100 | 10 | 50 | 180 | 146.0 |
| • *Extra Long Type* | | | | |
| 313015 | 1.5 | 15 | 91 | 1.6 |
| 313020 | 2 | 18 | 102 | 3.1 |
| 313025 | 2.5 | 20 | 114 | 5.5 |
| 313030 | 3 | 23 | 129 | 9.0 |
| 313040 | 4 | 29 | 144 | 18.0 |
| 313050 | 5 | 33 | 165 | 32.0 |
| 313060 | 6 | 38 | 186 | 52.6 |
| 313080 | 8 | 44 | 208 | 104.0 |
| 313100 | 10 | 50 | 234 | 182.9 |

## 9PCS

Ball Point Hex Key Wrench Set

**CONTENTS**

9 — 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0

| ITEM NUMBER | TYPE | PACKING |
|---|---|---|
| 311009-11 | Short | 12/48 ; 14/15 ; 1.20' |
| 312009-11 | Long | 12/48 ; 19/20 ; 1.34' |
| 313009-11 | Extra Long | 12/48 ; 22/23 ; 1.38' |

## Star Key Wrench

| Item No. | Size | L1 (mm) | L2 (mm) | |
|---|---|---|---|---|
| • *Short Type* | | | | |
| 321006 | T6 | 18 | 45 | 3.2 |
| 321007 | T7 | 18 | 51 | 3.5 |
| 321008 | T8 | 18 | 51 | 3.5 |
| 321009 | T9 | 18 | 51 | 3.5 |
| 321010 | T10 | 19 | 54 | 3.8 |
| 321015 | T15 | 21 | 57 | 5.5 |
| 321020 | T20 | 23 | 61 | 7.7 |
| 321025 | T25 | 24 | 65 | 10.0 |
| 321027 | T27 | 26 | 68 | 13.0 |
| 321030 | T30 | 29 | 76 | 21.0 |
| 321040 | T40 | 33 | 83 | 31.0 |
| 321045 | T45 | 36 | 90 | 45.0 |
| 321050 | T50 | 40 | 104 | 65.0 |
| 321055 | T55 | 46 | 120 | 121.0 |
| 321060 | T60 | 51 | 134 | 185.0 |
| • *Long Type* | | | | |
| 322010 | T10 | 19 | 89 | 5.7 |
| 322015 | T15 | 21 | 94 | 8.3 |
| 322020 | T20 | 23 | 99 | 11.4 |
| 322025 | T25 | 24 | 105 | 15.0 |
| 322027 | T27 | 26 | 110 | 20.0 |
| 322030 | T30 | 29 | 120 | 31.0 |
| 322040 | T40 | 33 | 131 | 46.0 |
| 322045 | T45 | 36 | 141 | 65.0 |
| 322050 | T50 | 40 | 161 | 94.0 |
| 322055 | T55 | 46 | 183 | 172.5 |
| 322060 | T60 | 51 | 204 | 264.0 |

## 9PCS

Hex Key Wrench Set

**CONTENTS**

9 — 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0

| ITEM NUMBER | TYPE | PACKING |
|---|---|---|
| 341009-01 | Short | 12/48 ; 14/15 ; 1.20' |
| 342009-01 | Long | 12/48 ; 19/20 ; 1.34' |
| 343009-01 | Extra Long | 12/48 ; 22/23 ; 1.38' |

## 9PCS

Tamper Proof Star Key Wrench Set

**CONTENTS**

9 — T10, T15, T20, T25, T27, T30, T40, T45, T50

| ITEM NUMBER | TYPE | PACKING |
|---|---|---|
| 331009-01 | Short | 12/48 ; 14/15 ; 1.20' |
| 332009-01 | Long | 12/48 ; 19/20 ; 1.34' |
| 333009-01 | Extra Long | 12/48 ; 22/23 ; 1.38' |

## 9PCS

Ball Point Hex Key Wrench Set

**CONTENTS**

9 — 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0

| ITEM NUMBER | TYPE | PACKING |
|---|---|---|
| 311009-01 | Short | 12/48 ; 14/15 ; 1.20' |
| 312009-01 | Long | 12/48 ; 19/20 ; 1.34' |
| 313009-01 | Extra Long | 12/48 ; 22/23 ; 1.38' |